

cleer

# ARC 3 Sport Pro

Open Ear True Wireless Headphone

User Manual

Cleer ARC 3 Earbuds Model: GS8801E Charging case Model: GS1399C EST NO: 102353-CHN-1

## Fitting | Mise en place | Instalación

Rotate the earbud and slide the ear hook behind your ear until it rests gently over the top of your ear. Adjust the hinge to find the position that works best for you.

Tournez la corne d'oreille et faites-la glisser derrière votre oreille jusqu'à ce qu'elle repose délicatement sur le dessus de votre oreille.

Gire la bisagra del codo y deslice el codo por detrás de la oreja hasta que descansa suavemente sobre la parte superior de la oreja.




## Cleer+ App | Application Cleer+ | Cleer+ App

Get even more control and personalization of your listening experience with this free app.

Obtenez encore plus de contrôle et de personnalisation de votre expérience d'écoute avec cette application gratuite.

Consiga aún más control y personalización de su experiencia auditiva con esta app gratuita.



## OPTIMIZED FOR Dolby Atmos

This function is deactivated by default. You can quickly activate or deactivate the function according to your needs in the following ways:

Cette fonction est désactivée par défaut. Vous pouvez rapidement activer ou désactiver la fonction de la manière suivante, selon vos besoins:

Esta función está desactivada por defecto. Puede activarla o desactivarla rápidamente en función de sus necesidades de las siguientes formas:




A: Operate on the home page of the Cleer+ App. A: Action dans la page d'accueil de l'application Cleer+. A: Use la página de inicio de la aplicación Cleer+.



B: Operate on the Dolby page of the charging case touch screen. B: Action dans la page Dolby de l'écran tactile du boîtier chargeur. B: Use la página Dolby de la pantalla táctil del estuche de carga.




C: Tap and hold the touch area of either earbud for more than 2 seconds. C: Pression pendant plus de 2 secondes sur la zone tactile de l'un des écouteurs. C: Mantenga pulsada la zona táctil de cualquier auricular durante más de 2s




### Conseils

- 1. Ce produit n'est pas un dispositif médical, ni utilisé pour diagnostiquer, traiter ou prévenir des maladies. Toutes les données et mesures sont fournies uniquement. Référence personnelle; 2. Seul l'écouteur gauche dispose d'un module de détection de la fréquence cardiaque / oxygène sanguin, qui prend en charge la fonction de détection de la fréquence cardiaque et de l'oxygène sanguin; 3. Une fois le test de fréquence cardiaque ou d'oxygène sanguin activé, l'écouteur sera d'abord testé et calibré. S'il vous plaît, gardez votre corps et votre tête immobiles; 4. Pendant le test de fréquence cardiaque ou d'oxygène sanguin, la position du capteur de l'écouteur gauche continuera à s'allumer en rouge, indiquant que le test est en cours; 5. La détection de la fréquence cardiaque appartient à la détection continue, c'est-à-dire qu'elle détectera en continu la fréquence cardiaque et affichera la valeur de la fréquence cardiaque en temps réel après avoir été allumée; 6. Le test d'oxygène sanguin est un test unique, c'est-à-dire que l'oxygène sanguin n'est pas testé en continu et qu'il doit être démarré manuellement à chaque fois, et le sang affiché. La valeur d'oxygène est le dernier résultat du test; 7. La précision de la détection de la fréquence cardiaque et de l'oxygène dans le sang est étroitement liée au port et à l'état de chaque individu, et les valeurs de détection sont fournies à titre indicatif uniquement.



### Consejos


- 1. Este producto no es un dispositivo médico, ni se utiliza para diagnosticar, tratar o prevenir ninguna enfermedad. Solo se proporcionan todos los datos y mediciones. Referencia personal; 2. Solo el auricular izquierdo tiene un módulo de detección de frecuencia cardíaca / oxígeno en sangre, que admite la función de detección de frecuencia cardíaca y oxígeno en sangre; 3. Después de encender la prueba de frecuencia cardíaca u oxígeno en sangre, primero se probará y calibrará el auricular. Por favor, mantén el cuerpo y la cabeza quietos; 4. Durante la prueba de frecuencia cardíaca u oxígeno en sangre, la posición del sensor del auricular izquierdo continuará iluminándose en rojo, lo que indica que la prueba está en curso; 5. La detección de frecuencia cardíaca pertenece a la detección continua, es decir, detectará continuamente la frecuencia cardíaca y mostrará el valor de frecuencia cardíaca en tiempo real después de encenderse; 6. La prueba de oxígeno en sangre es una prueba única, es decir, el oxígeno en sangre no se prueba continuamente, y debe iniciarse manualmente cada vez, y la sangre mostrada. El valor de oxígeno es el último resultado de la prueba; 7. La precisión de la frecuencia cardíaca y la detección de oxígeno en sangre está estrechamente relacionada con el uso y el estado de cada individuo, y los valores de detección son solo de referencia.



### Conseils

Un exercice « efficace » doit remplir les conditions suivantes : 1. Fréquence cardiaque en temps réel fréquence cardiaque au repos + fréquence cardiaque maximale) ≥ 2, et la durée est de ≥ 10 minutes; 2. Durée ≥ 10 minutes; 3. Vitesse de course ≥ 4 km/h.

- Si vous rencontrez des « données insuffisantes » dans les résultats sportifs, il est suggéré que : 1. Veuillez remplir toutes les données physiologiques avec précision, telles que l'âge, le poids, la fréquence cardiaque maximale/au repos, l'absorption maximale d'oxygène, etc. Si vous êtes intéressé par quelque chose, certaines données ne vous sont pas familières, veuillez ne pas les remplir, l'application correspondra à des données plus appropriées pour vous; 2. Courez dans un endroit avec un bon signal GPS extérieur; 3. Si vous êtes un coureur professionnel, il est suggéré d'allonger le temps d'exercice, d'accélérer l'exercice et d'augmenter l'intensité de l'exercice; 4. Si vous êtes un athlète moyen, vous pouvez réduire de manière appropriée la fréquence cardiaque au repos et le réglage de la fréquence cardiaque maximale, de sorte que votre fréquence cardiaque pendant l'exercice soit supérieure à la moyenne des deux.



Los auriculares ARC 3 pueden monitorear los cambios en la frecuencia cardíaca durante el ejercicio, calcular zonas de frecuencia cardíaca personalizadas basadas en registros de entrenamiento, admitir el monitoreo de la actividad de carrera al aire libre, analizar métricas de ejercicio y proporcionar recomendaciones de acondicionamiento físico. Las métricas de carrera al aire libre incluyen la cadencia, la longitud de la zancada, la distancia de carrera, el ritmo, las calorías quemadas y otros indicadores. Al conectar los auriculares a la aplicación móvil por primera vez, se requieren permisos como Bluetooth, ubicación y acceso a la red.




### Consejos

Un ejercicio "efectivo" debe cumplir con las siguientes condiciones: 1. Frecuencia cardíaca en tiempo real, frecuencia cardíaca en reposo + frecuencia cardíaca máxima) ≥ 2, y la duración es de ≥ 10 minutos; 2. Duración ≥ 10 minutos; 3. Velocidad de marcha ≥ 4 km/h.

- Si encuentra "datos insuficientes" en los resultados deportivos, se sugiere que: 1. Complete todos los datos fisiológicos con precisión, como la edad, el peso, la frecuencia cardíaca máxima/en reposo, el consumo máximo de oxígeno, etc. Si está interesado en algunos datos no son familiares, por favor no los complete, la aplicación coincidirá con los datos más adecuados para usted; 2. Corre en un lugar con buena señal GPS al aire libre; 3. Si eres un corredor profesional, se sugiere alargar el tiempo de ejercicio, acelerar el ejercicio y aumentar la intensidad del ejercicio; 4. Si usted es un atleta promedio, puede reducir adecuadamente la frecuencia cardíaca en reposo y la configuración de frecuencia cardíaca máxima, de modo que su frecuencia cardíaca durante el ejercicio sea mayor que el promedio de los dos.

## Head motion control (Call) | Commandes par mouvements de la tête (Appel) | Control de movimiento de la cabeza (Llamada)

\* Default to be closed, activated in the Cleer+ App. | Cette fonction est désactivée par défaut. Activez-la dans l'application Cleer+. | Esta función está desactivada por defecto. Actívela en Cleer+ App.



Call: Pick up Appel: décrocher Llamada: Contestar

Call: Hang up/Reject Appel: raccrocher/Rejeter Llamada: Colgar/ Rechazar

# OWN THE MOMENT

Find this user manual on www.cleeraudio.com

Follow us on social media



## Overview | Présentation | Descripción general

- 1 Touch screen 2 Touch control area 3 LED indicators 4 Multi Function Button 5 Heart Rate and Blood Oxygen Detection

- 1 Écran tactile 2 Zone de commande tactile 3 Témoins 4 Bouton multifonction 5 Surveillance de l'oxygène dans le sang de la fréquence cardiaque

- 1 Pantalla táctil 2 Área de control táctil 3 Indicadores LED 4 Botón multifuncional 5 Monitorización de la frecuencia cardíaca con oxígeno en sangre

## First-use | Première utilisation | Primer uso


For the first-use, tap and hold the Multi Function Button 2 seconds to power on. \* When unboxing for the first time, please remove the protective film.

Pour la première utilisation, appuyez pendant 2 secondes sur le bouton multifonction pour l'allumer. \* Retirez le film protecteur lors du premier déballage.

Para utilizarlo por primera vez, mantenga pulsado el Botón multifuncional durante 2s para encenderlo. \* Al desempaquetar por primera vez, retire la película protectora.


Correct fitting position Position d'adaptation correcte Posición de instalación correcta

## Power on | Allumage | Encender



\* The earbuds can only be powered on one by one \* Les écouteurs ne peuvent être mis sous tension qu'un par un \* Los auriculares sólo pueden encenderse de uno en uno Tap x 3 + Hold Toucher x 3 + Maintenir Toque x 3 + Mantenga


## Power off | Éteindre | Apagar



\* This function is disabled by default upon leaving the factory. You can enable or disable it using the following method: | Cette fonction est désactivée par défaut lorsqu'elle quitte l'usine. Vous pouvez activer ou désactiver rapidement cette fonction de l'une des manières suivantes : | Esta función está desactivada de forma predeterminada cuando sale de fábrica. Puede activar o desactivar rápidamente esta función de las siguientes maneras:

## Bluetooth pairing | Appairage Bluetooth | Emparejamiento Bluetooth

Put both earbuds back to the charging case, close the case, slide to the left or right on the touch screen to the pairing page, select "Pairing Mode", and then take out the earbuds. After that, the earbuds will enter Bluetooth Pairing Mode, and can be searched by other devices.



Remettez les deux écouteurs dans le boîtier chargeur, fermez le boîtier, balayez vers la gauche ou la droite sur l'écran tactile jusqu'à la page de l'appairage, sélectionnez « Appairage », puis retirez les écouteurs. Les écouteurs passent ensuite à l'appairage Bluetooth et peuvent être détectés par d'autres appareils. Vuelva a colocar los dos auriculares en el estuche de carga, cierre el estuche, deslice hacia la izquierda o la derecha en la pantalla táctil hasta la página de emparejamiento. Seleccione "Modo de emparejamiento" y luego retire los auriculares. Después, los auriculares entrarán en el modo de emparejamiento Bluetooth y podrán buscarlos otros dispositivos.


## Voice control

\* Default to be closed, activated in the Cleer+ App. When using the earbuds, simply say the following statements to control the earbuds.

- Previous song/Next song • Play music/Pause music • Volume up/Volume down • Pick up/Reject call

## Heart Rate and Blood Oxygen Detection | Surveillance de l'oxygène dans le sang de la fréquence cardiaque | Monitorización de la frecuencia cardíaca con oxígeno en sangre

\* This function is disabled by default upon leaving the factory. You can enable or disable it using the following method: | Cette fonction est désactivée par défaut lorsqu'elle quitte l'usine. Vous pouvez activer ou désactiver rapidement cette fonction de l'une des manières suivantes : | Esta función está desactivada de forma predeterminada cuando sale de fábrica. Puede activar o desactivar rápidamente esta función de las siguientes maneras:



### Tips

- 1. This product is not a medical device and is not designed to diagnose, treat, or prevent any disease. All data and measurements are for personal reference only; 2. The heart rate and oxygen detection function is only available on the left earphone, where the detection module is located; 3. After heart rate or blood oxygen detection is enabled, the headset will be calibrated first. Keep your body and head stationary during this process; 4. During the heart rate or blood oxygen detection, the LED on the left earphone sensor will stay red, signaling that detection is ongoing; 5. Heart rate detection operates continuously, meaning that once enabled, it will consistently monitor and show real-time heart rates; 6. The oxygen detection is a one-time test, meaning that it is not done continuously. It has to be manually enabled every time, and the displayed oxygen level reflects the result of the latest test; 7. The accuracy of heart rate and blood oxygen readings depends on how the device is worn and the individual's condition. The results are for reference only.

## Workout Monitoring | Surveillance des mouvements | Seguimiento deportivo

ARC 3 headset can track heart rate fluctuations during exercise, create customized heart rate zones using workout data, monitor outdoor running activities, and offer exercise recommendations by analyzing workout metrics. Outdoor running performance indicators include stride frequency, stride length, running distance, pace, calories, and more. When pairing the headset with the mobile App for the first time, make sure that Bluetooth, location, network, and other necessary permissions are granted.




### Tips

- An "effective" workout session should meet the following conditions: 1. Real-time heart rate (resting heart rate + maximal heart rate) ≥ 2, and duration ≥ 10 minutes; 2. Running time ≥ 10 minutes; 3. Running speed ≥ 4 km/h.

- If the workout results indicate "insufficient data", we recommend improving the following aspects: 1. Ensure all physiological data, such as age, weight, maximal/resting heart rate, and maximal oxygen uptake, are filled in accurately. If you are unsure about any data, please leave it blank so the App can find a more suitable match for you; 2. Select outdoor areas with good GPS signals for your running; 3. If you are a professional runner, it is recommended to extend exercise time, increase speed, and ramp up the intensity; 4. For an average person exercising, it is recommended to lower the resting and maximal heart rate settings to achieve a higher heart rate during workouts than the average of the two.


## Earbuds control (Playback and call) | Commandes des écouteurs (Lecture et appel) | Control de auriculares (Reproducción y llamada)

\* You can customize the touch on Cleer+ App by yourself. | Vous pouvez personnaliser vous-même les touches de l'application Cleer+. | Puede personalizar el toque en Cleer+ App por sí mismo.



- Tap x 1  
Toucher x 1  
Toque x 1  
Music: Play/Pause  
Musique: Lecture/Pause  
Música: Reproducir/ Pausar
- Tap x 2  
Toucher x 2  
Toque x 2  
Music: Next track  
Musique: Piste suivante  
Música: Siguiente pista  
Call: Pick up/hang up call  
Appel: Décrocher/raccrocher  
Llamada: Contestar/Colgar llamada
- Tap x 3  
Toucher x 3  
Toque x 3  
Music: Previous track  
Musique: Piste précédente  
Música: Pista anterior

## Sterilization with UV-C light | Stérilisation aux UV-C | Esterilización con luz UV-C




\* The data comes from authorized third-party testing institutions. All the data is obtained at the laboratory and is for reference only. The sterilization can effectively kill 99.9% or more harmful bacteria such as Staphylococcus aureus, Escherichia coli, Candida albicans, Salmonella, Klebsiella pneumoniae and Pseudomonas aeruginosa at the corresponding area on the earbuds.

\* Les données proviennent d'institutions de test tierces autorisées. Toutes les données sont obtenues en laboratoire et sont fournies à titre indicatif. La stérilisation peut tuer efficacement 99,9% ou plus de bactéries nocives telles que Staphylococcus aureus, Escherichia coli, Candida albicans, Salmonella, Klebsiella pneumoniae et Pseudomonas aeruginosa à l'endroit correspondant sur les écouteurs.

\* Los datos proceden de instituciones de ensayo autorizadas de terceros. Todos los datos se obtienen en el laboratorio y son sólo de referencia. La esterilización puede eliminar eficazmente el 99,9% o más de bacterias nocivas como Staphylococcus aureus, Escherichia coli, Candida albicans, Salmonella, Klebsiella pneumoniae y Pseudomonas aeruginosa en la zona correspondiente de los auriculares.

## Earbuds sync mode | Appairage des écouteurs | Modo de emparejamiento de los auriculares

When an earbud is lost, put the replacement new earbud and the old earbud into the charging case, slide to the left or right on the operation interface to click [Auxiliary] → [Earbuds Sync] to complete pairing.




Lorsqu'un écouteur est perdu, placez le nouvel écouteur de remplacement et l'ancien écouteur dans le boîtier chargeur, balayez vers la gauche ou la droite sur l'interface de fonctionnement pour appuyer sur [Auxiliaire] + [Synchronisation des écouteurs] afin de compléter l'appairage.

Cuando se pierda un auricular, coloque el auricular nuevo de repuesto y el viejo en el estuche de carga, deslice hacia la izquierda o la derecha en la interfaz de operación y haga clic en [Auxiliary] + [Earbuds Sync] para completar el emparejamiento.

## Earbuds control (Volume) | Commandes des écouteurs (Volume) | Control de auriculares (Volumen)


\* This function is not available when using a single earbud. | Cette fonction n'est pas disponible lors de l'utilisation d'un seul écouteur. | Esta función no está disponible al utilizar un solo auricular.




- Tap x 2 + Hold  
Toucher x 2 + Maintenir  
Toque x 2 + Mantenga  
**Right earbud | Écouteur droit | Auricular derecho**  
Volume up continuously  
Augmentation continue du volume  
Subir el volumen continuamente
- Tap x 2 + Hold  
Toucher x 2 + Maintenir  
Toque x 2 + Mantenga  
**Left earbud | Écouteur gauche | Auricular izquierdo**  
Volume down continuously  
Baisser le volume en continu  
Bajar el volumen continuamente

## Restore factory setting | Restauration des réglages d'usine | Restaurar la configuración de fábrica

**Restore factory setting**  
Using Cleer+ App, click [⚙️] → [More Settings] → [Factory Reset] successively, to complete the operation.



Using charging case, put both earbuds into charging case, slide to the left or right on the operation interface to click [Auxiliary] → [Reset Earbud] to complete the operation.



**Restore factory settings for charging case**  
Put both earbuds back into the charging case, close the charging case, slide to left or right on the operation interface to find [Reset Charging Case], and tap Restore Factory Settings to complete operation.


## Specifications | Spécifications | Especificaciones

<b>Driver:</b>	16.2mm neodymium dynamic driver
<b>Audio CODEC support:</b>	aptX™ Lossless, aptX™ Adaptive, LDAC, AAC, SBC
<b>Frequency response range:</b>	50-40kHz
<b>Connections:</b>	USB-C cable for charging, Charging current 5V/2A
<b>UVC:</b>	UVC 270±10nm
<b>Battery charging (earbuds) :</b>	A 5-minute charge will give 1 hour of playtime; less than 2.5 hours for a full charge (when charging via USB-C cable). Charging case is fully charged by wireless charging in 4 hours
<b>Playback time:</b>	Up to 8 hours*, in total 40 hours with charging case
<b>Support:</b>	Bluetooth 5.4, A2DP v1.3.2, AVRCP v1.6.2, HFP v1.9
<b>Weight:</b>	12g (per earbud), 130g (earbuds and case)


\*Data comes from Cleer Lab. The playtime is tested by AAC-encoded audio at 50% volume on Apple mobile device. Specific battery life will vary depending on the volume, connected device and usage habits. Please refer to your mobile device when you use them.

## Tips


- How to set up your iPhone to answer calls with Bluetooth earbuds: [Settings] → [Accessibility Functions] → [Touch] → [Call Audio Routing] → [Bluetooth Headsets]
- Volume sync setting
  - iPhone and earbuds volume are automatically synchronized, namely, the volume displayed on iPhone is the volume of the whole system of the earbuds.
  - Android phones (not all) volume is not synchronized with earbuds volume, so users need to set up the volume synchronization on their Android phones. Ways of setting are different based on phone brands, you need to consult with phone manufacturers to confirm.



HarmonyOS setting reference



Huawei EMUI setting reference



VIVO/OPPO setting reference

\* HarmonyOS setting reference: Settings → Bluetooth → Setting Icon of Earbuds → Bluetooth device volume is synchronized with the phone.  
\*\* For Huawei EMUI system/VIVO/OPPO phones, find Developer Options in Settings, and then find Bluetooth Absolute Volume (the function is deactivated by default). Bluetooth earbuds will be synchronized with the phone volume after the function is activated.  
\*\*\* Generally, for other Android phones, it is most likely also to find Absolute Volume function in Developer Options.

## Quick troubleshooting

- Earbuds don't charge in the charging case: first make sure the charging case is charged. Then check the charging contacts of the earbuds and the charging case respectively, and use soft cloth to clean up the dirt on the contacts and then try again.
- Touch screen of charging case does not respond: open the charging case, tap and hold the Multi Function Button for 8 seconds and the charging case will be reset.
- Earbuds are hot when charging: when charging earbuds in charging case, especially the earbuds with 0% battery level, it is normal to be slightly hot for the earbuds during fast charging. After taking the earbuds out of the charging case, the temperature of earbuds will return to normal. But when the earbuds become extremely hot, take them out of the charging case immediately and contact the after-sales service for further processing.

## Maintenance

- If the earbuds are exposed to dust, sweat, ink, oil, pollen, or chemicals (such as soap, hand sanitizer, shampoo, shower gel, laundry detergent, detergent, cosmetics, anti-UV products, antibacterial spray, high-concentration alcohol, insecticide, and mosquito repellent) and other substances that may cause damage to the earbuds, please wet a piece of cloth with less water and wipe the earbuds. Then, wipe them with a piece of dry, hairless soft cloth and dry them in the air.
- Do not use any chemicals or organic solvents (such as soapy water, hand sanitizer or other acid-base solvents) to clean the earbuds, or the residual may cause skin irritation.
- Please regularly use a soft, hairless cloth to wipe the earbuds. Do not use paper towels or cloth containing wood fibers. Do not use dirty or abrasive cloth.
- When you put the earbuds back into the charging case for charging, please make sure that the earbuds are dry and clean.
- When charging of the earbuds fails, please check whether the charging contact point of the charging case and earbuds are dirty. If yes, please wipe them clean with a piece of cloth or cotton, then try again.

## Warranty

Cleer Limited Warranty

Cleer Limited warrants this product against defects in material or workmanship for (I) year as set forth below when purchased directly from Cleer Limited or a Cleer Limited authorized retailer. Pursuant to this Limited Warranty, Cleer Limited will, at its option, (I) repair the product using new or refurbished parts or (II) replace the product with a new or refurbished product. For purposes of this Limited Warranty, "refurbished" means a product or part that has been returned to its original specifications. In the event of a defect, these are your exclusive remedies.

Labor: For a period of (I) year from the original date of purchase of the product ("Labor Warranty"), Cleer Limited will, at its option, repair or replace with new or refurbished product, product determined to be defective. If Cleer Limited elects to replace the product after this Labor Warranty has expired but while the parts warranty is still in effect, it will do so for the applicable labor charge.

Parts: For a period of (I) year from the original date of purchase of the product ("Parts Warranty"), Cleer Limited will supply new or refurbished replacement parts in exchange for parts determined to be defective.

This Limited Warranty covers only the hardware components packaged with the Product. It does not cover technical assistance for hardware or software usage and it does not cover any software products whether or not contained in the Product, any such software is provided "AS IS" unless expressly provided for in any enclosed software Limited Warranty. Please refer to the End User License Agreements included with the Product for your rights and obligations with respect to the software.

Instructions: To obtain warranty service, you must deliver the Product, freight prepaid, in either its original packaging or packaging affording an equal degree of protection to the original Cleer Limited retailer (point of purchase) or Cleer Limited Customer Service. It is your responsibility to backup any data, software or other materials you may have stored or preserved on your unit. It is unlikely that such data, software or other materials will be lost or reformatted during service and Cleer Limited will not be responsible for any such damage or loss. A dated purchase receipt from Cleer Limited or a Cleer Limited retailer is required. For specific instructions on how to obtain warranty service for your product, visit the Cleer Limited website: www.cleeraudio.com

Following warranty service your original Product or a replacement Product will be returned to you as your Product was configured when originally purchased. Repair / Replacement Warranty: This Limited Warranty shall apply to any repair, replacement part or replacement product for the remainder of the original Limited Warranty period or for (90) days, whichever is longer. Any parts or product replaced under this Limited Warranty will become property of Cleer Limited.

This Limited Warranty shall not apply to: (a) consumable parts, such as batteries that are designed to diminish over time, unless failure has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents and broken plastic on ports; (c) defects caused by normal wear and tear or otherwise due to the normal aging of the device; (d) damage caused by accident, negligence, abuse, misuse, fire, earthquakes, acts of God or damage resulting from liquid outside of the approved levels; (e) damage caused by operating the device outside Cleer Limited published guidelines; (f) damage caused by service performed by anyone who is not a representative of

Cleer Limited or a Cleer Limited authorized service provider; (g) Products whose seals are tampered; (h) Products whose serial numbers have been removed or defaced from such Product; (i) modifications, alterations or repairs to the Product made by a party other than Cleer Limited or a party authorized by Cleer Limited; (j) any failure by End User or a third party to comply with environmental and storage requirements for the Product specified by Cleer Limited, including, without limitation, temperature or humidity ranges; or (k) use of the Product in combination with any third-party devices or products that have not been provided or recommended by Cleer Limited.

LIMITATION ON DAMAGES: CLEER LIMITED SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF ANY EXPRESS OR IMPLIED WARRANTY ON THIS PRODUCT.

DURATION OF IMPLIED WARRANTIES: EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED TO THE DURATION OF THIS WARRANTY. DISCLAIMER: THE LIMITED WARRANTY SET FORTH HEREIN IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS RELATING TO THE PRODUCT, WHETHER EXPRESS OR IMPLIED, AND CLEER LIMITED EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING OUT OF COURSE OF DEALING OR USAGE OF TRADE AND AGAINST HIDDEN DEFECTS. TO THE FULLEST EXTENT PERMITTED BY LAW, CLEER LIMITED DOES NOT WARRANT THAT THE PRODUCT WILL MEET CUSTOMER'S REQUIREMENTS OR THAT USE OF THE PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE. NO ADVICE OR INFORMATION, WHETHER ORAL OR WRITTEN, OBTAINED FROM CLEER LIMITED OR ELSEWHERE WILL CREATE ANY WARRANTY NOT EXPRESSLY STATED IN THIS WARRANTY.

## Notice

Recycling



Your product is designed and manufactured with high quality materials and components, which can be recycled and reused. When you see the crossed out wheel bin symbol attached to a product, it means the product is covered by the European Directive 2002/96 EC.



Never dispose of your product with other household waste. Please inform yourself about the local rules on the separate collection of electrical and electronic products. The correct disposal of your old product helps prevent potentially negative consequences on the environment and human health. Your product contains batteries covered by the European Directive 2006/66/EC, which cannot be disposed of with normal household waste.

The device complies with RF specifications when the device used at 0mm from your body. Hereby, Cleer Limited. Declares that the product complies with essential requirements and other relevant provisions of Directive 2014/53/EU.

Compliance with FCC rules

- This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.
- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement:  
This equipment complies with FCC radiation exposure requirement. The device can be used in portable exposure condition without RF restriction. This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) the device must accept any interference, including interference that may cause undesired operation of the device."

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement."

L'appareil a été évalué pour répondre aux exigences générales d'exposition aux RF. L'appareil peut être utilisé sans restriction dans des conditions d'exposition portables. RF warning statement:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.


Register your product and get support at [www.cleeraudio.com](http://www.cleeraudio.com)

©2024 Cleer Limited. All rights reserved.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Cleer Limited is under license. Other trademarks and trade names are those of their respective owners.

Qualcomm aptX is a product of Qualcomm Technologies International, Ltd. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries, used with permission. aptX is a trademark of Qualcomm Technologies International, Ltd., registered in the United States and other countries, used with permission.

Made in China.



## Charging | Charge | Cargando

Connect ARC 3 charging case to a power source or place the charging case on wireless charging pad. A fully charged unit will give you 8 hours of total playtime in the earbuds and an additional 32 hours with the charging case.


Connectez le boîtier chargeur ARC 3 à une source d'alimentation ou placez le boîtier chargeur sur un chargeur sans fil.

Une charge de 5 minutes des écouteurs offre 1 heure de lecture avec des écouteurs complètement chargés. Le boîtier chargeur ajoute 32 heures supplémentaires.


Conecte el estuche de carga ARC 3 a una fuente de alimentación o colóquelo en una plataforma de carga inalámbrica.

Una carga de 5 minutos de los auriculares ofrecerá 1 hora de tiempo de reproducción con los auriculares totalmente cargados. Con 32 horas adicionales con el estuche de carga.

**Restaurar la configuración de fábrica**  
Con la aplicación Cleer+, haga clic en [⚙️] + [Gestión de Funciones] + [Restablecimiento de fábrica] de forma sucesiva para completar la operación.



Utilizando el estuche de carga, coloque los dos ambos auriculares en el estuche de carga, deslice hacia la izquierda o la derecha en la interfaz de operación y haga clic en [Auxiliary] [Reset Earbud] para completar la operación.



**Restaurar el estuche de carga a la configuración de fábrica**  
Vuelva a colocar ambos auriculares en el estuche de carga, ciérralo, deslice hacia la izquierda o la derecha en la interfaz de operación para encontrar [Reset Charging Case] y pulse Restaurar a la configuración de fábrica para completar la operación.

<b>Transductor :</b>	transductor dinámico de neodimio de 16,2mm
<b>Compatibilidad con códec de audio:</b>	aptX™ Lossless, aptX™ Adaptive, LDAC, AAC, SBC
<b>Rango de respuesta en frecuencia:</b>	50-40kHz
<b>Conexiones:</b>	Cable USB-C para carga, Corriente de carga 5V/2A
<b>UVC:</b>	UVC 270±10nm
<b>Carga de la batería (auriculares):</b>	una carga de 5 minutos ofrecerá 1,5 horas de reproducción; menos de 2,5 horas para una carga completa (cuando se carga con un cable USB-C). El estuche de carga se carga por completo mediante carga inalámbrica en 4 horas
<b>Tiempo de reproducción:</b>	Hasta 10 horas*, en total 50 horas con estuche de carga
<b>Soporte:</b>	Bluetooth 5.4, A2DP v1.3.2, AVRCP v1.6.2, HFP v1.9
<b>Peso:</b>	12g (por auricular), 130g (ambos auriculares y estuche)

\*Los datos proceden de Cleer Lab. El tiempo de reproducción se comprueba con audio codificado en AAC al 50% de volumen en un dispositivo móvil Apple.La duración específica de la batería variará en función del volumen, el dispositivo conectado y los hábitos de uso. Por favor, consulte su dispositivo móvil cuando los utilice.